

Scotnet SMTP Authenticated Relay setup for Thunderbird



Start the Thunderbird mail application, and click "Tools" and "Account Settings"

Click "Outgoing Server (SMTP)" located at the bottom of the left hand side panel. Please note that if you have more than one SMTP account, please set the Scotnet relay account as default.

john.doe@scotnet.co.uk	Outgoing Server (SMTP) Settings		
Server Settings Copies & Folders Composition & Addressing	When managing your identities you can use a server from it as the Outgoing Server (SMTP), or you can use the defau- list by selecting "Use Default Server".	this list by selecting ult server from this	
Junk Settings Synchronization & Storage	sop12345 - relay.scotnet.co.uk (Default)	A <u>d</u> d	
Return Receipts		<u>E</u> dit	
Local Folders		Remove	
Junk Settings		Set Default	
	Authentication method: Encrypted password Connection Security: None		
Account Actions +			

Set the server name as "**relay.scotnet.co.uk**". The port can be set as **either 25 or 587**. This is to allow relay in the event of your network connection performing port 25 interception.

Set the "Connection Security" as None, and the Authentication method as "Password, transmitted insecurely"

Settings Description:	_		_
Server Name:	relay.sc	cotnet.co.uk	-
Port:	587	Default: 587	
Co <u>n</u> nection se	curity:	None	
Authentication	n method	d: Password, transmitted insecurely	•
User Na <u>m</u> e:		sop12345	
		See.	

Also enter the username that was supplied to you for your SMTP Authenticated Relay account

When you first attempt to send an email, you will be prompted for a password. Please enter the password you were provided with your SMTP Authenticated Relay account.